

SAFETY DATA SHEET

SECTION 1 -- CHEMICAL PRODUCT AND COMPANY IDENTIFICATIONS

BLUESTAR LLC ROGERSVILLE, TN 37857

- Product Identification: **Flexible Concrete Crack Filler (Gray), Flexible Concrete Crack Filler (Light Gray), Flexible Concrete Hairline Crack Filler (Gray), Flexible Concrete Hairline Crack Filler (Light Gray), Flexible Asphalt Crack Filler**
- Product Use: FILL CRACKS IN HORIZONTAL CONCRETE AND ASPHALT SURFACES
- Chemical Family: Natural Latex
- Manufacturer's Name: BLUESTAR LLC
- SDS Number: 003
- Date SDS Prepared: 01/14/25

SECTION 2 -- HAZARDS IDENTIFICATIONS

Classification of the substance or mixture



Causes Skin and Eye irritation.
Causes Respiratory Tract Irritation

Label elements

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms



Signal word Warning (Danger)

Hazard statements

Irritant (skin and eye)

Precautionary statements

Wear protective gloves/protective clothing/ eye protection/face protection.

Wash thoroughly after handling

Specific treatment (see on this label).

Take off contaminated clothing and wash before reuse.

If skin irritation occurs: Get medical advice/attention

If on Skin: Wash with plenty of water

If in Eyes: Flush eyes with water for 15-min.

Route of Entry

- ✓ **Skin Contact**
- ✓ **Skin Absorption**
- ✓ **Eye Contact**
- ✓ **Inhalation**
- ✓ **Ingestion**

Potential Health

This product contains crystalline silica (quartz) which is a substance known to the state of California to cause cancer when present as "Airborne Particles of Respirable Size." THE SILICA IN THIS PRODUCT IS **NOT** "AIRBORNE".

SECTION 3 -- COMPOSITION/INFORMATION OF INGREDIENTS

****Hazardous Ingredients (specific)** ****CAS Number**

- Silica Sand (NOT Airborne) 14808-60-7
- Aliphatic Hydrocarbon 64742-88-7
- Ammonium Hydroxide < 0.8%

Section 4 -- FIRST AID MEASURES

Skin Contact -- Flush with Clean Water
Eye Contact -- Flush with Clean Water
Inhalation -- Breathe Fresh Air
Ingestion -- Do NOT induce vomiting. Call Physician
Immediately.

SECTION 5 -- FIRE FIGHTING MEASURES

- Use water spray to cool fire-exposed containers. Wear self-contained breathing apparatus extinguishing fire.

SECTION 6 -- ACCIDENTAL RELEASE MEASURES

- Sweep up and dispose of in accordance with Federal, State and Local regulations.

SECTION 7 -- HANDLING AND STORAGE

- Keep sealed and store in a cool dry place. Keep product from freezing. Provide adequate ventilation when in use. Avoid contact with skin or clothing. Keep out of the reach of children.

SECTION 8 -- EXPOSURE CONTROL/PERSONAL PROTECTION

- Respiratory Protection: Use NIOSH approved organic vapor respirator.
- Ventilation: Good general ventilation should be sufficient for most conditions.
- Eye Protection: Wear Safety Glasses with side shields.
- Skin Protection: Wear chemical resistant gloves.

Handling procedures and Equipment

- Storage and handling facilities should have a water source available for washing skin and eyes in the event of over

exposure. Wash with soap and water.

Storage Requirements

- Keep sealed and store in a dry location above 50 degrees Fahrenheit.

SECTION 9 -- PHYSICAL AND CHEMICAL PROPERTIES

- Physical State: Light Gray Paste or Black Paste
- Odor and Appearance: Slight Latex Odor
- Solubility in Water: WATER THINNABLE
- Boiling Point: 212°F (100°C)
- Vapor Pressure: 760 @ 100°C

SECTION 10 -- STABILITY AND REACTIVITY

- Chemical Stability: Stable
- Materials to avoid: Heavy metals, salt and acid
- Hazardous decomposition products: None
- Hazardous polymerization: Will not occur

SECTION 11 -- TOXICOLOGICAL INFORMATION

- Effects of Acute Exposure: Eye irritant, may cause slight skin irritation, extreme inhalation may cause respiratory problems, ingestion may cause gastrointestinal irritation.

SECTION 12 -- ECOLOGICAL INFORMATION

- No recognized unusual toxicity to plants or animals.

SECTION 13 -- DISPOSAL CONSIDERATIONS

- Waste Disposal: Dispose of waste material according to local,

state, and federal regulations.

- Special Shipping Information: Not Hazardous under U.S. Department of Transportation (DOT) regulations.

SECTION 14 -- TRANSPORT INFORMATION

- DOT Hazard Classification: None. Non-regulated.

SECTION 15 -- REGULATORY INFORMATION

- **[WHMIS Classification]** None
- **[OSHA]** Non Hazardous per 29CFR1910
- **[SARA]** None
- **[TSCA]** All Components listed or exempt.

SECTION 16 -- OTHER INFORMATION

Bluestar LLC Concrete Crack Filler should be used by knowledgeable persons. A key to using the product safely requires the user to review the Safety Data Sheet and Product Data Sheet.

While the information provided in this safety data sheet is believed to provide a useful summary of the hazards of Bluestar Concrete Crack Repair as it is commonly used, the sheet cannot anticipate and provide all of the information that might be needed in every situation. Inexperienced product users should obtain proper training before using this product.

SELLER MAKES NO WARRANTY, EXPRESSED OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY Bluestar LLC except that the product shall conform to the intended use of the product. The information provided herein was believed by Bluestar LLC to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information to comply with all laws and procedures applicable to the safe handling and use of the product, and to determine the suitability of the product for its intended use. Buyer's exclusive remedy shall be for damages and no claim of any kind, whether as to product delivered or non-delivery of product, and whether based on contract, breach of warranty, negligence, or otherwise shall be greater in amount than the purchase price of the quantity of product in respect of which damages are claimed. In no event shall Seller be liable for incidental or consequential damages, whether Buyer's claim is based on contract, breach of warranty, negligence or otherwise.

